



**MIAMI-DADE COUNTY**  
**BUILDING CODE COMPLIANCE OFFICE (BCCO)**  
**PRODUCT CONTROL DIVISION**

**MIAMI-DADE COUNTY, FLORIDA**  
**METRO-DADE FLAGLER BUILDING**  
**140 WEST FLAGLER STREET, SUITE 1603**  
**MIAMI, FLORIDA 33130-1563**  
**(305) 375-2901 FAX (305) 372-6339**

## **NOTICE OF ACCEPTANCE (NOA)**

**[www.maimidade.gov/buildingcode](http://www.maimidade.gov/buildingcode)**

**United Steel Products Company**  
**14305 Southcross Drive # 200**  
**Burnsville, MN 55306**

### **SCOPE:**

This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed by Miami-Dade County Product Control Division and accepted by the Board of Rules and Appeals (BORA) to be used in Miami Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).

This NOA shall not be valid after the expiration date stated below. The Miami-Dade County Product Control Division (In Miami Dade County) and/or the AHJ (in areas other than Miami Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. BORA reserves the right to revoke this acceptance, if it is determined by Miami-Dade County Product Control Division that this product or material fails to meet the requirements of the applicable building code. This product is approved as described herein, and has been designed to comply with the Florida Building Code, including the High Velocity Hurricane Zone.

### **DESCRIPTION: Series MSH Wood Connectors.**

**APPROVAL DOCUMENT:** Drawing No. **0103MD**, titled "MSH SERIES (ADJUSTABLE STRAP HANGERS)", sheets 1 and 2 of 2, dated 12/14/04, with revision #1, prepared by United Steel Products Company, signed and sealed by R. W. Lutz, P.E., bearing the Miami-Dade County Product Control Renewal stamp with the Notice of Acceptance number and expiration date by the Miami-Dade County Product Control Division.

### **MISSILE IMPACT RATING: None**

**LABELING:** Each unit shall bear a permanent label with the manufacturer's name or logo, city, state and following statement: "Miami-Dade County Product Control Approved", unless otherwise noted herein.

**RENEWAL** of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.

**TERMINATION** of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

**ADVERTISEMENT:** The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.

**INSPECTION:** A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official. This NOA **renews NOA # 05-0105.04** and consists of this page 1 and evidence pages E-1 and E-2, as well as approval document mentioned above.

The submitted documentation was reviewed by **Carlos M. Utrera, P.E.**



*[Signature]*  
3/31/08

**NOA No. 08-0303.06**  
**Expiration Date: May 22, 2013**  
**Approval Date: April 24, 2008**  
**Page 1**

**NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED**

**A. DRAWINGS**

1. Drawing No. **0103MD**, titled "MSH SERIES (ADJUSTABLE STRAP HANGERS)", sheets 1 and 2 of 2, dated 12/14/04, with revision #1, prepared by United Steel Products Company, signed and sealed by R. W. Lutz, P.E.  
***"Evidence Submitted under NOA # 05-0105.04"***

**B. TESTS**

Test reports on wood connectors per ASTM D1761, signed and sealed by C.R. Caudel, P.E & J. D. Lee, P.E.

	<u>Report No.</u>	<u>Connector</u>	<u>Load Direction</u>	<u>Date</u>
1.	PTI # 02-3927-2	MSH 29	Up & Down	11/26/02
2.	PTI # 02-3924	MSH 218	Up & Down	10/21/02
3.	PTI # 02-3925	MSH 222	Up & Down	12/16/02
4.	PTI # 02-3923	MSH 213-2	Up & Down	10/31/02
5.	PTI # 02-3926	MSH 413	Up & Down	11/18/02
6.	PTI # 02-3931	MSH 418	Down	12/13/02

***"Evidence Submitted under NOA # 05-0105.04"***

**C. CALCULATIONS**


Calculated Capacities prepared by R. W. Lutz PE.

	<u>Product Model</u>	<u>No. of Pages</u>	<u>Date</u>	<u>Signature</u>
1.	MSH 29	1 through 3	12/27/02	R. W. Lutz, P.E.
2.	MSH 218	9 through 9	01/30/03	R. W. Lutz, P.E.
3.	MSH 222	4 through 5	01/08/03	R. W. Lutz, P.E.
4.	MSH 213-2	6 through 6	01/21/03	R. W. Lutz, P.E.
5.	MSH 413	7 through 8	01/28/03	R. W. Lutz, P.E.
6.	MSH 418	9 through 8	01/28/03	R. W. Lutz, P.E.

***"Evidence Submitted under NOA # 05-0105.04"***

**D. QUALITY ASSURANCE**

1. Miami Dade Building Code Compliance Office (BCCO).



3/31/08

Carlos M. Utrera, P.E.  
Product Control Examiner  
NOA No. 08-0303.06  
Expiration Date: May 22, 2013  
Approval Date: April 24, 2008

NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

**E. MATERIAL CERTIFICATIONS**

1. None.

**F. STATEMENTS**

1. No Financial Interest letter issued by USP Lumber Connectors, dated 01/31/03 signed by R. W. Lutz, P.E.
2. Code Compliance letter issued by USP Lumber Connectors, dated 01/30/03 signed and sealed by R. W. Lutz, P.E.
3. Letter requesting revision issued by Product Control Section on 10/25/04 and signed by C. F. Font.  
*"Evidence Submitted under NOA # 05-0105.04"*
4. Statement letter of conformance issued by United Steel Products Company, dated 02/27/08, signed and sealed by Robert W. Lutz, P.E.
5. No change letter issued by United Steel Products Company, dated 02/27/08, signed by Robert W. Lutz, P.E.



**G. OTHER**

1. Notice of Acceptance No. **05-0105.04**, issued to United Steel Products Company, approved on 02/24/05 and expiring on 05/22/08.




3/31/08

Carlos M. Utrera, P.E.  
Product Control Examiner  
NOA No. 08-0303.06  
Expiration Date: May 22, 2013  
Approval Date: April 24, 2008




TOP MOUNT

**PRODUCT REVISED**  
as complying with the Florida  
Building Code  
Acceptance No. 05-0105-04  
Expiration Date 03/22/2013  
By Miami Dade Product Control  
**PRODUCT RENEWED**  
as complying with the Florida  
Building Code  
Acceptance No. 03-0303-06  
Expiration Date 03/22/2013  
By Miami Dade Product Control  
Division



FACE MOUNT

LOAD SHARE  
FASTENING SYSTEM



\*INDICATES JOIST  
SLANTED NAILING

PRODUCT CODE	GA	DIMENSIONS					MOUNTING CONDITION	FASTENER SCHEDULE			ALLOWABLE LOADS (lbs.)
		W	D	H	B	FW		HEADER		JOIST	
								TOP	FACE		
											DF-L / SYP FLOOR UPLIFT 100% 133%
*MSH29	18	1 5/8	2 1/4	8 3/4	5	2 1/4	FACE-MAX TOP-MAX	-- -- (4) 10d	(18) 10d (6) 10d	(4) 10d (4) 10d	2515 2785
*MSH213	18	1 5/8	2 1/4	12 3/4	5	2 1/4	FACE-MAX TOP-MAX	-- -- (4) 10d	(20) 10d (6) 10d	(4) 10d (4) 10d	2660 2785
*MSH218	18	1 5/8	2 1/4	16 3/4	5	2 1/4	FACE-MAX TOP-MAX	-- -- (4) 10d	(26) 10d (6) 10d	(4) 10d (4) 10d	2660 2785
MSH222	18	1 5/8	1 3/4	23	10 13/16	1 3/4	FACE-MAX TOP-MAX	-- -- (4) 10d	(22) 10d (6) 10d	(4) 10d x 1-1/2 (4) 10d x 1-1/2	--- 2015
MSH179	18	1 13/16	2 1/2	8 11/16	4 15/16	2 1/4	FACE-MAX TOP-MAX	-- -- (4) 10d	(18) 10d (6) 10d	(4) 10d (4) 10d	2515 2785
MSH318	18	2 9/16	1 3/4	18	10 3/8	1 3/4	FACE-MAX TOP-MAX	-- -- (4) 10d	(16) 10d (6) 10d	(4) 10d x 1-1/2 (4) 10d x 1-1/2	--- 2015

## GENERAL NOTES

- 1) STEEL SHALL CONFORM TO ASTM A653 STRUCTURAL GRADE 33, AND A MINIMUM GALVANIZED COATING OF G90.
- 2) FASTENERS ARE COMMON WIRE NAILS UNLESS OTHERWISE NOTED.
- 3) ALLOWABLE LOADS HAVE BEEN INCREASED FOR WIND LOAD CONDITION. NO FURTHER INCREASE IS ALLOWABLE.
- 4) ALLOWABLE LOADS ARE BASED ON THE NATIONAL DESIGN SPECIFICATIONS FOR WOOD CONSTRUCTION (G=0.55 OR BETTER AND MOISTURE CONTENT OF 19% OR LESS). ALL TESTS PERFORMED IN ACCORDANCE WITH ASTM D1761.
- 5) PENETRATION IS ASSUMED TO BE 1 1/2" INTO WOOD JOIST & 1 5/8" OR MORE INTO WOOD HEADER.
- 6) ALLOWABLE UPLIFT LOADS NOT LISTED ARE LESS THAN 700# AND DO NOT COMPLY WITH SEC. 2321.7 OF FBC, AND ARE THEREFORE EXCLUDED FROM USE.

REV. #1

**UNITED STEEL PRODUCTS COMPANY**  
703 ROGERS DRIVE, MONTGOMERY, MN. 55069 PHONE (507) 364-7333

NAME:

MSH SERIES

(ADJUSTABLE STRAP HANGERS)

DATE:

ROBERT W LUTZ

12-14-04

PROFESSIONAL ENGINEER (STRUCTURAL)  
FLORIDA REG. NO. 55409

SHEET:

DRAWING NO. #

1 OF 2

0103MD

MDADE

PRODUCT CODE	GA	DIMENSIONS					MOUNTING CONDITION	FASTENER SCHEDULE			ALLOWABLE LOADS (lbs.)
		W	D	H	B	HEADER		JOIST			
						TOP			FACE		
MSH322	18	2 9/16	1 3/4	22 1/2	10 3/8	---	(22) 10d	(4) 10d x 1 1/2	100%	133%	
*MSH213-2	16	3 1/8	2 1/4	14 3/16	7 13/16	(4) 10d	(6) 10d	(4) 10d x 1 1/2	2015	---	
						---	(14) 10d	(6) 10d	2220	1360	
MSH218-2	16	3 1/8	1 3/4	17 3/4	10 1/16	(4) 10d	(6) 10d	(6) 10d	3325	1360	
						---	(16) 10d	(4) 10d	1950	---	
MSH222-2	16	3 1/8	1 3/4	22 1/4	10 1/16	(4) 10d	(6) 10d	(4) 10d	2015	---	
						---	(22) 10d	(4) 10d	2015	---	
*MSH413	16	3 9/16	1 3/4	14	7 5/8	(4) 10d	(6) 10d	(4) 10d	2015	---	
						---	(14) 10d	(6) 10d	2220	1245	
*MSH418	16	3 9/16	1 3/4	17 1/2	7 5/8	(4) 10d	(6) 10d	(6) 10d	3150	1245	
						---	(18) 10d	(6) 10d	2440	1245	
						(4) 10d	(6) 10d	(6) 10d	3150	1245	
						(4) 10d	(2) 10d	(6) 10d	2190	---	
*MSH422	16	3 9/16	1 3/4	21 1/2	7 5/8	---	(22) 10d	(6) 10d	2440	1245	
						(4) 10d	(6) 10d	(6) 10d	3150	1245	
						(4) 10d	(2) 10d	(6) 10d	2190	---	

## GENERAL NOTES

- 1) STEEL SHALL CONFORM TO ASTM A653 STRUCTURAL GRADE 33, AND A MINIMUM GALVANIZED COATING OF G90.
- 2) FASTENERS ARE COMMON WIRE NAILS UNLESS OTHERWISE NOTED.
- 3) ALLOWABLE LOADS HAVE BEEN INCREASED FOR WIND LOAD CONDITION. NO FURTHER INCREASE IS ALLOWABLE.
- 4) ALLOWABLE LOADS ARE BASED ON THE NATIONAL DESIGN SPECIFICATIONS FOR WOOD CONSTRUCTION (G=0.55 OR BETTER AND MOISTURE CONTENT OF 19% OR LESS). ALL TESTS PERFORMED IN ACCORDANCE WITH ASTM D1761.
- 5) PENETRATION IS ASSUMED TO BE 1 1/2" INTO WOOD JOIST & 1 5/8" OR MORE INTO WOOD HEADER.
- 6) ALLOWABLE UPLIFT LOADS NOT LISTED ARE LESS THAN 700# AND DO NOT COMPLY WITH SEC. 2321.7 OF FBC, AND ARE THEREFORE EXCLUDED FROM USE.

**PRODUCT RENEWED**  
as complying with the Florida  
Building Code

Acceptance No. 08-0303-06  
Expiration Date 05/22/2013

By *[Signature]*  
Miami Dade Product Control  
Division

**PRODUCT REVISED**  
as complying with the Florida  
Building Code

Acceptance No. 05-0165-04  
Expiration Date 05/22/08

By *[Signature]*  
Miami Dade Product Control  
Division

REV. #1

**UNITED STEEL PRODUCTS COMPANY**  
703 ROGERS DRIVE, MONTGOMERY, MN. 56069 PHONE (507) 364-7333

NAME: **MSH SERIES**  
(ADJUSTABLE STRAP HANGERS)

DATE: **12-14-04**  
ROBERT W LUTZ  
PROFESSIONAL ENGINEER (STRUCTURAL)  
FLORIDA REG. NO. 55409

SHEET: **2 OF 2**  
DRAWING NO. # **0103MD**  
MDADE

*[Handwritten Signature]*  
John N. Smith  
Dec 21, 2004